


CM

WHAT IS CLAIMED IS:

1. Compounds of formula I,




PS in which R_1 is hydrogen or alkyl,
 R_2 is alkyl, alkenyl, alkynyl, cycloalkyl
 or cycloalkylalkyl,
 R_3 is hydrogen or lower alkyl,
 and R_4, R_5, R_6 and R_7 , which may be the same
 or different, each signifies hydrogen,
 halogen, trifluoromethyl, hydroxy, nitro
 or lower alkyl or alkoxy,
 and PS
 10 and chemotherapeutically acceptable acid addition salts
 thereof.

Insa! 2. A chemotherapeutic composition comprising a
 compound of claim 1 in association with a chemotherapeu-
 tically acceptable diluent or carrier.

15 3. A method of treating mycotic disorders
 comprising administering to an animal in need of such
 treatment, an effective amount of a compound of claim 1.

4. A method for the production of compounds of Claim 1, characterised by

a) reacting a compound of formula II,



II


in which R_1 , R_2 , R_6 and R_7 are as defined in Claim 1,
5 with a compound of formula III,



III

in which R_3 , R_4 and R_5 are as defined in Claim 1,
and X is a leaving group,


b) introducing the group R_2 into a compound of formula IV,




IV

10 in which R_1 , R_3 , R_4 , R_5 , R_6 and R_7 are as defined
in Claim 1,


c) producing a compound of formula Ia,




in which R_1 to R_7 are as defined in Claim 1,
by hydrogenating a compound of formula V,



in which R_1 to R_7 are as defined in Claim 1, or
d) producing a compound of formula Ib,



5 in which R_1 to R_7 are as defined in Claim 1,
by splitting off water from a compound of formula VI,



IV

in which R_1 to R_7 are as defined in Claim 1.

add
a2
over
P.

3700/MO/HD